



District of 100 Mile House

REQUEST FOR QUOTATION

RFQ Number 2026-002

The District of 100 Mile House is requesting quotations for:

One (1) – NEW 2027 FIRE RESCUE DUTY TRUCK

This is a Request for Quotation only. By requesting quotations, the District does not intend to enter into, and shall not be considered to have entered into, contractual relations upon the submission of a quotation by any person and no “Contract A” shall be formed between the District and any supplier upon the submission of a quotation. Without limiting the foregoing, the District shall not be obligated in any manner whatsoever to any supplier until a written agreement for the performance of the work herein contemplated has been duly executed.

Inquiries regarding this Request for Quotation may be directed to David Bissat, Fire Chief, 250-644-0636, e-mail: dbissat@100milehouse.com.

A quotation shall be prepared and submitted at the sole expense of the proponent and without cost to the District of 100 Mile House. All quotations received by the District of 100 Mile House become the property of the District of 100 Mile House and as such are subject to the Municipal Freedom of Information and Protection of Privacy Act.

Quotations sealed in an envelope, clearly marked with the supplier’s name and the product and/or service name will be accepted up to 2:00 p.m. (local time), November 6th, 2026 and will be received by:

Sheena Elias
Director of Finance
District of 100 Mile House
#1-385 Birch Avenue

[selias@100milehouse.com](mailto:selas@100milehouse.com)

DISTRICT OF 100 MILE HOUSE
TERMS AND CONDITIONS – QUOTATIONS

GENERAL

1. **THE LOWEST OR ANY QUOTATION NOT NECESSARILY ACCEPTED.** The District of 100 Mile House may accept any quotation in whole or in part, unless otherwise stipulated.
2. Bidders will be advised of acceptance or rejection within a reasonable time following receipt of bid.
3. Quotations received after the specified closing time & date, will be rejected and returned.
4. The District shall not be obliged to purchase any goods or services from any bidder until a Purchase Order has been issued. Any discussions, inspections or meetings with District staff will not constitute an expressed approval to purchase.
5. The successful supplier shall provide a complete, operational vehicle. All components shall be new unless specifically approved otherwise by the District.
6. Where a manufacturer or model is identified, an equivalent may be proposed unless the specification specifically states that a named product is required. Any proposed equivalent must be clearly identified in the quotation.
7. The quotation shall clearly identify all exceptions, substitutions, optional items, freight or delivery charges, warranty terms and estimated completion/delivery date.
8. Final equipment locations and installation details shall be confirmed with 100 Mile House Fire Rescue before fabrication or installation.

QUOTATION REQUIREMENTS

1. **Acceptance:** Quotations must remain valid for thirty (30) days after the closing date.
2. **Errors:** Quotations as received shall be considered final and no quotation shall be altered, amended or withdrawn after the specified closing date.
3. **Form:** Quotations will not be accepted unless properly signed and submitted on this form.
4. **Taxes:** Quotations must show appropriate taxes as indicated on the form attached.
5. **Quotes for Services:** In the event this quotation is for contracted services, the successful bidder will be required to provide
 - A copy of your current WorkSafeBC Clearance Letter
 - A copy of your current District of 100 Mile House Business Licence (IF applicable)
 - A copy of your insurance acceptable to the District of 100 Mile House
6. **Submissions of Bids:** The District shall not be bound and the Bidder agrees not to rely upon any written or verbal statements or representations of any other persons, whether employed by the District or not, in the preparation and submission of their bid.
7. **Quantities:** The District reserves the right to increase or decrease quantities related herein to meet operational or budget requirements.
8. **Delivery Requirements:** The product must be delivered by February 1, 2027. Notification will be given post Council approval and will accompany the issuance of a purchase order.

CONDITIONS OF PURCHASE

1. **Acknowledgement/Acceptance:** The District intends to award a contract through the issuance of a letter of award to the selected bidder.
2. **FOB Point:** All goods shall be quoted F.O.B. at the District specified site or unless otherwise specified.
3. **Shipments:** The District reserves the right to cancel this order, if the contract delivery date shown herein, is not met. All materials must be transported based on the conditions herein.
4. **Indemnity:** Notwithstanding the providing of insurance coverage by the Bidder, the Bidder hereby agrees to indemnify and save harmless the District, its officers, agents, servants and employees and each of them from and against all claims, demands, losses, costs, damages, actions, suites or proceedings by whomever made, brought or prosecuted and in any manner based upon, arising out, related to, occasioned by or attributable to the activities of the Bidders, its servants, agents, subcontractors and sub-subcontractors, in providing the services and performing the work of this Contract, excepting always liability arising solely out of the negligent act or omission of the District.

SPECIFICATIONS

A. Chassis

2027 Ford F-350 XLT Crew Cab, or equivalent one-ton crew-cab chassis acceptable to the District.

Gasoline V8 engine.

4x4, single rear wheel (SRW).

Long box.

White exterior (Ford Oxford White or equivalent).

Automatic transmission.

Block heater.

Heavy-duty towing package including integrated trailer brake controller.

Air conditioning and heat.

Power windows, power door locks and keyless remote entry.

Remote start.

Heated/power exterior mirrors.

Heavy-duty battery/charging system suitable for emergency warning, communications and accessory loads.

All chassis manufacturer safety systems and warranties to remain intact after upfitting.

B. Commercial Canopy – LEER Required / Match Existing Department Trucks

The canopy shall be a LEER canopy that matches the style and configuration of the LEER canopies currently installed on 100 Mile House Fire Rescue pickup trucks. The successful supplier shall confirm the exact LEER model and configuration with 100 Mile House Fire Rescue before ordering or installation. Alternate canopy manufacturers will not be accepted.

LEER canopy, cab-high and sized for the long-box chassis, matching the appearance, style and general configuration of the Department's current LEER-equipped pickup trucks.

Approximately 26" high model suitable for a Super Duty-style chassis.

Maximum-size solid flip-up side access doors with secure locking hardware.

Full-size storage compartments behind both driver- and passenger-side access doors.

Internal compartment dividers, comparable to LEER "C" configuration on both sides.

Rubber non-slip mat floor liners in storage compartments.

Solid rear door configuration.

Dent-resistant metal interior finish/upgrade for interior ceiling, front wall, rear door and side doors.

Interior LED strip lighting activated by canopy door/gas-shock switches.

OEM backup camera relocated into the canopy header or equivalent location maintaining full functionality.

Canopy painted to match chassis.

All required canopy mounting clamps, seals and installation hardware.

Truck tailgate to be removed and returned to the District unless otherwise approved.

C. Slide-Out Equipment Tray

BedSlide 2000 HD contractor slide-out tray, model 20-9548-HDB or equivalent.

Minimum 2,000 lb load capacity.

Approximately 75% extension.

Guardrails and headrail.

Weather-resistant composite deck.

Multiple positive locking positions.

Vehicle-specific aluminum installation kit.

Five-piece BedBins storage system or equivalent.

D. 12V Power Distribution and Electrical

All emergency and accessory 12VDC loads supplied from the chassis electrical system with appropriately sized circuit protection.

Blue Sea Systems split DC fuse panel, or equivalent, with ignition-switched and constant-power circuits for upfitting and radios.

Samlex Battery Guard, or equivalent automatic battery protection/load-shedding system.

Gated 12V master switch mounted at the cab console.

All wiring sized to carry at least 125% of the maximum protected circuit load.

Wiring, switches, relays, terminals and connectors to be automotive/commercial grade and protected from heat, water, corrosion and abrasion.

Grommets to be used wherever wiring or loom passes through metal.

Full electrical diagrams to be supplied with the completed vehicle.

E. Work and Scene Lighting

Three (3) 12V LED strip lights in the LEER canopy, comparable to LEER "E" configuration.

Two (2) Whelen M62SLC LED scene lights with 15-degree angled bezels, one at each forward corner of canopy, or equivalent.

One (1) approximately 20" forward-facing LED driving/work light bar mounted between front uprights and controlled through an OEM auxiliary switch, or equivalent.

F. Siren and Emergency Warning System

Whelen CenCom Core siren/light controller with CCTL7 control head, or equivalent current-generation Whelen system.

Controller to provide Off / Rear / Low Intensity / High Intensity operating modes.

Low-intensity mode shall be configured where supported by the warning-light components.

White warning lights shall be disabled while the vehicle is in park, where applicable.

One (1) Whelen SA315U 100W siren speaker with appropriate vehicle-specific mounting hardware, or equivalent.

One (1) Whelen Edge 9X approximately 54" red/white DUO lightbar with low-power capability, or equivalent.

One (1) Whelen Inner Edge DUO red/white upper-front warning-light system, or equivalent.

One (1) Whelen TAM83AR rear Traffic Advisor, amber with red end flashers, or equivalent.

Four (4) Whelen ION red grille-mounted warning lights, or equivalent.

Two (2) red mirror-mounted warning lights, Whelen T-Series or equivalent.

Two (2) red front fender/bumper warning lights, Whelen T-Series or equivalent.

Two (2) red rear fender/bumper warning lights, Whelen T-Series or equivalent.

Two (2) Whelen Vertex red hideaway warning lights at the rear of the vehicle, or equivalent.

Final warning-light locations and flash patterns to be approved by 100 Mile House Fire Rescue before installation.

G. Push Bumper

Setina PB400 aluminum push bumper, or equivalent heavy-duty commercial push bumper suitable for the proposed chassis.

Push bumper shall not interfere with OEM safety systems, sensors or required airflow.

H. Communications

One (1) Kenwood analog VHF mobile radio, 136–174 MHz, 50W, or current equivalent compatible with the Department's radio system.

Five (5) Kenwood NX-1200DV-K2 VHF portable radios, or current compatible equivalent.

Five (5) desktop single-unit fast-rate chargers.

Five (5) mobile vehicle charger adapters and mounts.

One (1) VHF antenna, 135–174 MHz, with NMO hood mount.

Radio programming requirements to be confirmed with 100 Mile House Fire Rescue.

I. Centre Console

Havis 30" centre console system suitable for the proposed Ford F-350 crew cab, or equivalent commercial public-safety console.

USB-C/USB-A charging port.

Mounting provisions for the Kenwood mobile radio and Whelen CenCom Core controller.

Internal and/or external dual cupholders.

Keyed storage armrest.

Open accessory storage pockets.

Internal adjustable mounting pole for future laptop/MDT/tablet mount.

Final console layout to be approved before installation.

J. Graphics and Markings

Rear red/lime high-visibility chevron covering a minimum of 50% of the rear-facing surface, with FIRE RESCUE identification as directed.

Reflective red side striping approximately 8" high in a Z-style configuration.

Department logos on both front cab doors.

Unit numbers on rear cab doors and front fenders as directed.

Canada flag decals on front fenders.

911 decals on lower rear body/canopy area if requested.

Interior cab-door red/lime chevron decals.

FAMA-style safety/warning label package as applicable.

All artwork, exact unit numbers and final graphics layout to be approved by the District before production.

K. Design, Inspection, Warranty and Delivery

Supplier shall provide complete electrical diagrams and relevant equipment manuals at delivery.

The District may conduct reasonable progress/final inspections at the upfitter's facility before acceptance.

Quotation shall state the complete upfitting/component warranty and structural canopy/body warranty.

Quotation shall state the chassis manufacturer's warranty.

Quotation shall clearly state whether delivery to 100 Mile House, BC is included or additional.

Quotation shall provide the estimated chassis availability, build start date and final completion/delivery timeline.

QUOTATION SHEET

Quotation Bid Sheet – Bidders must complete the form below and return it to the District office on or before the published closing date.

Name of Firm Bidding:

Authorized Signature _____ **Print Name** _____

Position _____

Address _____

City_____Postal Code_____

Phone # _____ **Fax #** _____

E-Mail Address _____

ITEM DESCRIPTION	PRICE
FREIGHT	
TAXES	
TOTAL QUOTED PRICE	
ESTIMATED COMPLETION DATE	

Exceptions / Substitutions / Clarifications: